



SCOUT

INTRODUCING OUR FIRST EVER
ALUMINUM NON-IMPACT LINE

A NEW ERA
OF STRENGTH.



CGIWINDOWS.COM

OUR FIRST EVER ALUMINUM
NON-IMPACT LINE.

A NEW STANDARD.

GREAT QUALITY.

Built with pride and engineering excellence.

VERSATILE DESIGN.


Strength and style for every project.

EXCEPTIONAL VALUE.

An affordable option for your inspiration.



SCOUT





SCOUT SLIDING GLASS DOOR SGD4025A

STRENGTH AND STYLE FOR EVERY SPACE.

QUALITY AND PERFORMANCE.

Our first ever line of aluminum non-impact windows and doors are built with the CGI® quality, strength, and aesthetics that builders have relied on for decades.



QUALITY

We create exceptionally built doors and windows. No corners cut. Ever.



PASSION

We have a passion for our products, for our partnerships, and for protecting those who rely on our products.



WARRANTY PROTECTION

We're so confident in our product, we offer a limited but comprehensive warranty to protect your investment.

SCOUT PICTURE WINDOW PW4020A



SCOUT PRODUCT FEATURES

- Powder-coated white or bronze finish
- Equipped with exterior-glazed clear glass - also available in bronze, gray, mist (pattern 62), high-performance Low-E energy coatings (EnergyShield Max)
- Heavy-duty extruded aluminum
- Nominal 2" window frame depth
- 1/2" flange frame type with all windows
- Integral nail-fin frame type available on Single Hung, Picture Window, and Architectural Shapes
- Muntin types/configurations:
 - Riased/flat grid 1" shallow exterior grid with flatbar interior
 - Flat grid 9/16" flat grid between the glass



SCOUT ARCHITECTURAL WINDOW AR4020A & PICTURE WINDOW PW4020A

RIGOROUSLY TESTED TO WORK FOR YOU.

Scout products are continuously tested, certified, approved, and rated by the industry's most respected, accredited organizations:

- Florida Product Approval
- National Fenestration Rating Council (NFRC)
- Sound Transmission Class (STC)
- Approved for High Velocity Hurricane Zones (HVHZ)

PROTECTING YOUR INVESTMENT.

Enjoy the confidence that our warranties provide:

- A 10-year warranty on the frame and component parts
- A 10-year warranty on the insulating glass units
- A one-time transfer of warranty coverage to a new residential homeowner

ARCHITECTURAL WINDOW AR4020A


- White
- Gridless
- Privacy glass
(Mist: Pattern 62)



PICTURE WINDOW PW4020A

- White
- Gridless
- Privacy glass
(Mist: Pattern 62)





A SMART
CHOICE FOR
YOUR NEXT
PROJECT.

SCOUT SINGLE HUNG WINDOW SH4000A & SLIDING GLASS DOOR SGD4020A





SCOUT ARCHITECTURAL WINDOW AR4020A & SINGLE HUNG SH4000A



SINGLE HUNG SH4000A

PRODUCT FEATURES

- Standard and Proview (Oriel) sash styles
- Block and tackle balances
- Traditional sweep lock or bottom lock option available
- Maximum flange size: 53 1/8" x 78"

COMMODITY FLANGE* SIZES

| HEIGHT | WIDTH | | | |
|---------|---------|---------|------|---------|
| | 19 1/8" | 26 1/2" | 37" | 53 1/8" |
| 26" | 12 | H32 | 22 | 32 |
| 38 3/8" | 13 | H33 | 23 | 33 |
| 50 5/8" | 14 | H34 | 24 | 34 |
| 56+" | 14-5 | H34-5 | 24-5 | 34-5 |
| 63" | 15 | H35 | 25 | 35 |
| 76" | 16 | H36 | 26 | 36 |

EGRESS KEY

Egress is 5.0 SF or greater

Egress is 5.7 SF or greater

MODULAR FLANGE* SIZES

| HEIGHT | WIDTH | | | | |
|---------|-------|------|------|------|------|
| | 24" | 32" | 40" | 44" | 48" |
| 26" | 2022 | 2822 | 3422 | 3822 | 4022 |
| 38 3/8" | 2033 | 2833 | 3433 | 3833 | 4033 |
| 50 5/8" | 2043 | 2843 | 3443 | 3843 | 4043 |
| 63" | 2053 | 2853 | 3453 | 3853 | 4053 |
| 76" | 2064 | 2864 | 3464 | 3864 | 4064 |

NOMINAL INTEGRAL FIN SIZES

| HEIGHT | WIDTH | | | | | | |
|---------|---------|---------|---------|---------|---------|---------|---------|
| | 23 1/2" | 29 1/2" | 31 1/2" | 35 1/2" | 41 1/2" | 43 1/2" | 47 1/2" |
| 35 1/2" | 2030 | 2630 | 2830 | 3030 | 3630 | 3830 | 4030 |
| 43 1/2" | 2038 | 2638 | 2838 | 3038 | 3638 | 3838 | 4038 |
| 47 1/2" | 2040 | 2640 | 2840 | 3040 | 3640 | 3840 | 4040 |
| 49 1/2" | 2042 | 2642 | 2842 | 3042 | 3642 | 3842 | 4042 |
| 53 1/2" | 2046 | 2646 | 2846 | 3046 | 3646 | 3846 | 4046 |
| 59 1/2" | 2050 | 2650 | 2850 | 3050 | 3650 | 3850 | 4050 |
| 61 1/2" | 2052 | 2652 | 2852 | 3052 | 3652 | 3852 | 4052 |
| 65 1/2" | 2056 | 2656 | 2856 | 3056 | 3656 | 3856 | 4056 |
| 71 1/2" | 2060 | 2660 | 2860 | 3060 | 3660 | 3860 | 4060 |
| 73 1/2" | 2062 | 2662 | 2862 | 3062 | 3662 | 3862 | 4062 |

* Flange sizes shown. Integral Nail Fin and Equal Leg frame, deduct 1" from both width and height.

+ 4-5 High and EH Call Size window does not follow the standard egress formula. Special modifications are made to meet egress height only on these Call Sizes.



HORIZONTAL ROLLER HR4010A

PRODUCT FEATURES

- 2- and 3-lite configurations
- Adjustable brass rollers
- Traditional sweep lock or jamb lock options
- Maximum flange size:
 - XO or OX: 74" x 72"
 - XOX: 1/4-1/2-1/4: 120" x 63"
 - XOX: 1/3-1/3-1/3: 90" x 63"

XO/OX COMMODITY FLANGE SIZES

| SIZE CODES | WIDTH | | | |
|------------|---------|-----|---------|-----|
| HEIGHT | 26 1/2" | 37" | 53 1/8" | 74" |
| 26" | H32 | 22 | 32 | D22 |
| 38 3/8" | H33 | 23 | 33 | D23 |
| 50 5/8" | H34 | 24 | 34 | D24 |
| 63" | H35 | 25 | 35 | D25 |
| 72" | H3M | 2M | 3M | D2M |

EGRESS KEY

Egress is 5.0 SF or greater

Egress is 5.7 SF or greater

XOX 1/4-1/2-1/4 COMMODITY FLANGE SIZES

| SIZE CODES | WIDTH | | | | |
|------------|---------|-----|----------|------|------|
| HEIGHT | 53 1/8" | 74" | 106 3/8" | 111" | 120" |
| 26" | 32 | D22 | D32 | T22 | M2 |
| 38 3/8" | 33 | D23 | D33 | T23 | M3 |
| 50 5/8" | 34 | D24 | D34 | T24 | M4 |
| 63" | 35 | D25 | D35 | T25 | M5 |

XO/OX MODULAR FLANGE SIZES

| SIZE CODES | WIDTH | | | | | | | |
|------------|-------|------|------|------|------|------|------|------|
| HEIGHT | 24" | 36" | 48" | 54" | 60" | 66" | 72" | 74" |
| 24" | 2020 | 3020 | 4020 | 4620 | 5020 | 5620 | 6020 | 6220 |
| 36" | 2030 | 3030 | 4030 | 4630 | 5030 | 5630 | 6030 | 6230 |
| 48" | 2040 | 3040 | 4040 | 4640 | 5040 | 5640 | 6040 | 6240 |
| 54" | 2046 | 3046 | 4046 | 4646 | 5046 | 5646 | 6046 | 6246 |
| 60" | 2050 | 3050 | 4050 | 4650 | 5050 | 5650 | 6050 | 6250 |
| 66" | 2056 | 3056 | 4056 | 4656 | 5056 | 5656 | 6053 | 6256 |
| 72" | 2060 | 3060 | 4060 | 4660 | 5060 | 5660 | 6060 | 6260 |

XOX 1/4-1/2-1/4 MODULAR FLANGE SIZES

| SIZE CODES | WIDTH | | | | | | | |
|------------|-------|------|------|------|------|------|------|-------|
| HEIGHT | 48" | 60" | 72" | 74" | 84" | 96" | 108" | 120" |
| 24" | 4020 | 5020 | 6020 | 6220 | 7020 | 8020 | 9020 | 10020 |
| 36" | 4030 | 5030 | 6030 | 6230 | 7030 | 8030 | 9030 | 10030 |
| 48" | 4040 | 5040 | 6040 | 6240 | 7040 | 8040 | 9040 | 10040 |
| 54" | 4046 | 5046 | 6046 | 6246 | 7046 | 8046 | 9046 | 10046 |
| 60" | 4050 | 5050 | 6050 | 6250 | 7050 | 8050 | 9050 | 10050 |



SCOUT HORIZONTAL ROLLER HR4010A




PICTURE WINDOW/ ARCHITECTURAL PW/AR4020A

PRODUCT FEATURES

- Standard style picture window
- Maximum flange size: 48" x 96"
- Available in the following architectural shapes
 - Half Circle
 - Eyebrow
 - Half Eyebrow
 - Arch
 - Trapezoid




**HALF
CIRCLE**



EYEBROW



**HALF
EYEBROW**



ARCH



TRAPEZOID



SLIDING GLASS DOOR

SGD4025A

PRODUCT FEATURES

- Multi-panel by-pass and pocket configurations
- 2, 3, and 4 tracks
- Configurations up to 8 panels
- Various sill riser heights
- Recessed panel pull or optional raised handle
- Single roller or optional tandem roller
- Optional stainless steel package
- Standard or heavy-duty box screens
- Maximum panel size: Nominal 4' x 8'

| BY-PASS CONFIGURATION | SIZE CODE | OVERALL SIZE WIDTH X HEIGHT* |
|------------------------------------------|-----------|------------------------------|
| 2P2T XO, OX XX | 4068 | 48 x 80 |
| | 5068 | 60 x 80 |
| | 6068 | 72 x 80 |
| | 8068 | 96 x 80 |
| 3P3T XXX, XXO OXX | 7668 | 88 9/16 x 80 |
| | 9068 | 106 9/16 x 80 |
| | 12068 | 142 9/16 x 80 |
| 4P2T OXXO XXXX | 10068 | 119 1/4 x 80 |
| | 12068 | 143 1/4 x 80 |
| | 16068 | 191 1/4 x 80 |
| 4P4T XXXX, OXXX XXXX | 10068 | 116 7/8 x 80 |
| | 12068 | 140 7/8 x 80 |
| | 16068 | 188 7/8 x 80 |
| 3P2T OXX, XXO OXO | 7668 | 90 5/8 x 80 |
| | 9068 | 108 5/8 x 80 |
| | 12068 | 144 5/8 x 80 |
| 5P3T XXX-XX, XX-XXX OX-XXO, OXX-XO | 15068 | 177 11/16 x 80 |
| | 20068 | 237 11/16 x 80 |
| 6P3T OXX-XXO XXX-XXX | 15068 | 176 1/8 x 80 |
| | 18068 | 212 1/8 x 80 |
| | 24068 | 284 1/8 x 80 |
| 8P4T OXXX-XXXX XXXX-XXXX | 20068 | 233 x 80 |
| | 24068 | 281 x 80 |
| | 32068 | 377 x 80 |

| POCKET CONFIGURATION | SIZE CODE | OVERALL SIZE WIDTH X HEIGHT* |
|----------------------|-----------|------------------------------|
| 1P1T 1 POCKET | 3068 | 35 1/2 x 80 |
| | 4068 | 47 1/2 x 80 |
| 2P2T 1 POCKET | 5068 | 58 15/16 x 80 |
| | 6068 | 70 15/16 x 80 |
| | 8068 | 94 15/16 x 80 |
| 3P3T 1 POCKET | 7668 | 87 3/8 x 80 |
| | 9068 | 105 3/8 x 80 |
| | 12068 | 141 3/8 x 80 |
| 4P4T 1 POCKET | 10068 | 115 11/16 x 80 |
| | 12068 | 139 11/16 x 80 |
| | 16068 | 187 11/16 x 80 |
| 2P1T 2 POCKET | 5068 | 60 1/8 x 80 |
| | 6068 | 72 1/8 x 80 |
| | 8068 | 96 1/8 x 80 |
| 4P2T 2 POCKET | 10068 | 117 x 80 |
| | 12068 | 141 x 80 |
| | 16068 | 189 x 80 |
| 6P3T 2 POCKET | 15068 | 173 7/8 x 80 |
| | 18068 | 209 7/8 x 80 |
| | 24068 | 281 7/8 x 80 |
| 8P4T 2 POCKET | 20068 | 230 5/8 x 80 |
| | 24068 | 278 5/8 x 80 |
| | 32068 | 374 5/8 x 80 |

* 6/8 heights shown. Also available in 8/0 (96") height.

SCOUT SLIDING GLASS DOOR SGD4020A

STRENGTH
BUILT FOR YOU.



SCOUT

LEARN MORE AT: [CGIWINDOWS.COM/SCOUT](https://www.cgiwindows.com/scout)



INVENT. BUILD. DELIVER.

A national manufacturer of premium windows and doors whose technically advanced products can withstand some of the toughest weather conditions on earth and are revolutionizing the way people live by unifying indoor and outdoor living spaces.

THE PGT INNOVATIONS FAMILY OF BRANDS

